



Date Allowed: June 15, 2007  
Docket No.: 248772US2CRL

COMMISSIONER FOR PATENTS  
ALEXANDRIA, VIRGINIA 22313



ATTORNEYS AT LAW

RE: Application Serial No.: 10/777,185  
Applicants: Timothy David FARNHAM, et al.  
Filing Date: February 13, 2004  
For: METHODS OF CONTROLLING TRANSMISSION  
POWER LEVELS IN AIR INTERFACE CHANNELS  
Group Art Unit: 2618  
Examiner: Nguyen, T.

SIR:

Attached hereto for filing is the following paper:

**COMMENTS ON EXAMINER'S STATEMENT OF REASONS FOR ALLOWANCE**

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.

Eckhard H. Kuesters

Registration No. 28,870

Customer Number

**22850**

(703) 413-3000 (phone)  
(703) 413-2220 (fax)

Fred L. Braun

Registration No. 56,123



DOCKET NO: 248772US2CRL

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF : DATE ALLOWED: JUNE 15, 2007  
TIMOTHY DAVID FARNHAM, ET AL. : EXAMINER: NGUYEN, T.  
SERIAL NO: 10/777,185 :  
FILED: FEBRUARY 13, 2004 : GROUP ART UNIT: 2618  
FOR: METHODS OF CONTROLLING :  
TRANSMISSION POWER LEVELS IN  
AIR INTERFACE CHANNELS

**COMMENTS ON EXAMINER'S STATEMENT OF REASONS FOR ALLOWANCE**

COMMISSIONER FOR PATENTS  
ALEXANDRIA, VIRGINIA 22313

SIR:

The Examiner's Statement of Reasons for Allowance, appearing on page 2 of the Notice of Allowability (PTOL-37) mailed on June 15, 2007, fails to distinguish between the recitations set forth in independent Claim 1 and independent Claims 7, 9, 10, 16 and 18 and the claims that depend thereon and vice versa.

More specifically, the examiner's reasons for allowance appearing on lines 4-14 of page 2 of the Notice of Allowability implies that the same method steps are present in each of the independent Claims 1, 7, 9, 10, 16 and 18. This is incorrect. Method Claim 1 is the only method claim that recites the steps mentioned by the examiner while method Claims 7 and 9 recite different steps for allocating power levels. Independent apparatus Claim 10 recites structural limitations which are capable of performing the method steps of Claim 1.


Furthermore, independent apparatus Claims 16 and 18 are directed to an apparatus for allocating power levels to transceivers.

Application No. 10/777,185  
Reply to Notice of Allowance of June 15, 2007

Accordingly, the examiner's reasons for allowance only apply to independent Claim 1 and dependent Claims 2-6 while none of the reasons for allowance apply to independent Claims 7, 9, 10, 16 and 18 and the claims that depend thereon.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.



Eckhard H. Kuesters  
Attorney of Record  
Registration No. 28,870

Customer Number  
**22850**

Tel: (703) 413-3000  
Fax: (703) 413 -2220  
(OSMMN 06/04)

Fred L. Braun  
Registration No. 56,123

I:\ATTY\FLB\COMMENTS ON STATEMENT OF REASONS FOR ALLOWANCE\248772US-COMMENTS ON EXAMINER'S STATEMENT.DOC